Daisy World Assignment

Learning Objectives:

- Explore homeostasis on Daisy World, i.e. how it self regulates it global temperature;
- > Understand the faint-young sun paradox; Make graphs and discuss their meaning;
- > Understand that small changes in external forcing can sometime lead to large changes in climate state:
- Learn how positive and negative feedback processes can control system behavior.

1. Description of Daisy World Acknowledgement: Much of the text in sections 1 through 3 is taken from http://stress.swan.ac.uk/~mbarnsle/teaching/envmod/pdf/em-chapter14.pdf


The following description of Daisy World is taken from Hardisty *et al.* (1993): Daisy World is an imaginary planet, with a transparent atmosphere, free from clouds and greenhouse gases. The planet is flat, resulting in similar changes in temperature with changing solar luminosity (energy from the sun) and albedo being experienced simultaneously over its surface, and does not experience any seasonality in climate. The composition of the planet's biota is similarly lacking in complexity: two species of daisies occur as discrete populations; one dark (black), the other light (white) in color. In addition a species of herbivores grazes the daisies in a non-selective manner (*i.e.*, they show no preference for black or white daisies) and is responsible for recycling of any organic material. The herbivores do not, however, exert any other measurable effect on the system and are thus are not further considered here. Conditions on Daisy World are suitable for the growth of daisies over the entire surface of the planet.

2. Assumptions of the Model

The model makes a number of fundamental assumptions about the functioning of the system, namely: 1. The rate of population change for both species of daisy depends on the death rate and the potential birth rate for that species, and the amount of fertile land available for growth.


- 2. The birth rate for both species of daisy depends on the local temperature near each daisy type.
- 3. The local temperature depends on the difference between the global and local albedo, and on the global temperature. If the local albedo is large then the local temperature is less than the global temperature.
- 4. The global temperature depends on the luminosity of the Sun and the planetary albedo.
- 5. The planetary albedo is the sum of the local albedo components (*i.e.*, the albedo of the black and white daisies and of the bare ground). Albedo of White Daisies is 0.75, Black 0.25, and bare ground 0.50.
- 6. The amount of fertile land available for further growth of the black and white daisies depends on the total amount of fertile land (fixed) and the total coverage the two species of daisy.

3. Graphical Representation of the Daisy World Model.



4. An analysis Daisy World using feedback loops.

An analysis of white daisy coverage using feedback loops. (Figure 1 of 3)




White daisies reflect more sunlight than bare ground, so as white daisies grow the planetary albedo increases and the planetary temperature decreases

The reverse is also true. As white daisies die the planetary albedo decreases and the planetary temperature increases.

- *The positive connection between daisies and albedo indicates that as white daisies increase albedo increases and as white daisies decrease albedo decreases.
- *The negative connection between albedo and temperature indicates that as albedo increase temperature decreases and as albedo decrease temperature increases.
- *Notice (+)(-=(-)

An analysis of white daisy coverage using feedback loops. (Figure 2 of 3)




There is an optimum temperature for daisy growth.

- * To the left of the graph's peak increasing local average temperature causes increase in daisy coverage. (it *was* too cold)
- * To the right of the graph's peak increasing local average surface temperature causes decrease in daisy coverage (it *becomes* too hot)

This figure also applies to black daisies in regard to the local average surface temperature near them.

An analysis of white daisy coverage using feedback loops. (Figure 3 of 3)



Combining the ideas from the last two figures.

To left of graph's peak: An increase in temperature causes more white daisy growth, an albedo increase, and a temperature drop towards its original value. **OR** A decrease in temperature causes reduced white daisy coverage, an albedo decrease, and a temperature increase towards its original value. (negative loop is stable)

To right of graph's peak: An increase in temperature causes reduced white daisy coverage, an albedo decrease, and a temperature increase further away from its original value.

OR A decrease in temperature causes more white daisy coverage, an albedo increase, and a temperature decrease further away from its original value. (positive loop: unstable)

5. **Assignment: Part 1.** Whenever missing, fill in the appropriate statement, draw sketches, graphs, connections, and loop diagrams similar to those for white daisies above except for black daisies.

An analysis of Black daisy coverage using feedback loops. (Figure 1 of 3)

	Daisy World Following Kump, Kasting, and Crane The Earth System, Prentice Hall, 1999	Black daisies absorb more sunlight than the bare ground so as the black daisies grow the planetary
Charles .	Lemp	albedo and the planetary
208	verage surface Tem	temperature
0200	Werage	The reverse is also true.
69.9	Daisy coverage	As black daisies die the planetary albedo
Daisies	Albedo	and the planetary
Dais	ies Ts	temperature

An analysis of Black daisy coverage using feedback loops. (Figure 2 of 3) Add sketch of daisy coverage vs temperature similar to that above for white daisies. Include connections between temperature and daisy coverage for temperature to the left of the peak and to the right of the peak.

temperature and daisy coverage for temperature t	to the left of the peak and to the right of the peak.
	There is an optimum temperature for black daisy growth. * To the left of the graph's peak increasing local average temperature causes increase in daisy coverage. (it was too cold)
	* To the right of the graph's peak increasing local average surface temperature causes decrease in daisy coverage (it becomes too hot)

An analysis of black daisy coverage using feedback loops. (Figure 3 of 3) Complete all missing parts of this figure and text to the right for black daisies.

parts of this figure and text to the right for black daisies.		
	Combining the ideas from the last two figures.	
	To left of graph's peak: An increase in temperature causes	
	To right of graph's peak: An increase in temperature causes	

Daisy World Assignment

Part 2. Run the Daisy World Model (use "**Run Te**" button) varying the solar luminosity Fraction L from 0.60 to 1.30 and fill in the table below. Make sure the Dead Planet box is NOT checked. You will want to make several graphs of your results so putting the values directly into an Excel spreadsheet will save you time. Also, the last column is the product of L and A and must be calculated by you; Excel makes this easy also. You can **copy** from the output table for the model and **paste** directly into Excel. You will need to use the **data text-to-column** option in Excel to get the data into separate columns. Note: when changing L don't hit the return key after changing the number, just click on the run button below.

L (fraction)	Avg Planet Temp (C)	Area of White Daisies (%)	Area of Black Daisies (%)	A, Planetary Albedo	Absorbed Solar [L * (1-A)]
0.60		Daisies (70)	Daisies (70)		(1-A)]
0.65					
0.70					
0.75					
0.80					
0.85					
0.90					
0.95					
1.00					
1.05					
1.10					
1.15					
1.20					
1.25					
1.30					

Graphs for Part 2.

Using Excel (or some other means like graphing by hand), make graphs of:

- a. Average planet Temperature on the Y axis vs. Solar Luminosity L on the X- axis.
- On this graph draw a horizontal line by hand from the beginning to the end of the stable climate region
- b. Area of Black and White daisies both on the Y axis vs. Solar Luminosity L on the X- axis.
- c. Area of Black and White daisies both on the Y axis vs. Average planet Temperature on the X- axis d. Planetary Albedo on the Y axis vs. Solar Luminosity L on the X- axis

Part 3. Repeat part 2 for the dead daisy planet (no daisy growth)

Do not answer the questions in part to but do create a Table similar to that in part 2. Note that the albedo is always the same for a dead planet.

L (fraction)	Avg Planet	A, Planetary	Absorbed
	Temp (C)	Albedo	Solar [L *
			(1-A)]
0.60			
0.65			
0.70			
0.75			
0.80			
0.85			
0.90			
0.95			
1.00			
1.05			
1.10			
1.15			
1.20			
1.25			
1.30			

Graphs for Part 3 (The Dead planet). Using Excel (or some other means), make a graph of:

a. Average planet Temperature on the Y axis vs. Solar Luminosity L on the X- axis. If you can, include this on the same axes as the graph from Part2 a.

Based on the information in these graphs write an executive summary describing how daisy world self-regulates its planetary temperature.

Daisy World Assignment

Your summary should:

- ➤ Have an introductory paragraph describing the purpose of the Model and the basic assumptions made by the model.
- Explain the information on each graph.
- Compare the behavior of the Dead Planet to that of Daisy World
- Explain how daisy world self-regulates its planetary temperature.
- ➤ Comment on how daisy world applies to the faint young sun paradox. (see your text or do a web search to find out more about the faint young sun paradox.
- Comment on the idea that very small changes in climate forcing can result in large changes in the climate state of a planet. For example, some feel that are biggest concern regarding future climate change is not so much the gradual alterations to global temperature but the potential for large shifts in climate state brought about by some unforeseen mechanism.